

**SPECIAL PACKAGING INSTRUCTION**

*Form Approved  
OMB No. 0704-0188*

**-BR  
JS**

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12389712 (19207) BOX ASSEMBLY, ACCESSORY CONTROL			2. CAGE 19207		3. SPI NO.	
4. NATIONAL STOCK NO.			5. DATE March 26, 2004		6. REVISION	
7. QUP 1 EACH	8. ICQ NONE	9. UNIT PACK WT (LB.) 11.0	10. UNIT PACK CU (CU. FT.) 0.583		11. UNIT PACK SIZE (INCHES) 14.0 X 12.0 X 6.0	
12. MILITARY PRESERVATION MIL-STD-2073-1, METHOD 32 & NOTE A		18. STEPS	19. REQD	20. DESCRIPTION		
13. CLEANING MIL-STD-2073-1, PROCESS 1		1B		WRAP MIL-P-17667, TYPE II, CL ASS 1 SIZE: 31 X 18		
14. DRYING MIL-STD-2073-1		2		CUSHIONING SEE PAGES 2 AND 3		
15. PACKING		3C		CONTAINER ASTM D5118, TYPE CF, STYLE RSC, GRADE 200 SIZE: 11-1/4 X 4-3/4 X 13-1/4		
a. LEVEL A MIL-STD-2073-1 AND NOTE D				BAG MIL-DTL-117, STYLE 2, TYPE III, CL B (4 MIL) CLASS B( 4 MIL ) SIZE: 17 X 21		
b. LEVEL B MIL-STD-2073-1 AND NOTE D		4		CONTAINER ASTM D5118, TYPE CF, STYLE RSC, GRADE W5c SIZE: 11-3/4 X 5-1/2 X 13-3/4		
16. MARKING MIL-STD-129		5C				

17. NOTES/DRAWING

A. QUALITY ASSURANCE PROVISIONS:  
 1. INSPECT PRESERVATION AND UNIT PACK IN ACCORDANCE WITH( IAW ) MIL-STD-2073-1.  
 2. INSPECT THE PACKING IAW MIL-STD-1186 AND THE APPLICABLE CONTAINER SPECIFICATION.

B. APPLY A PROTECTIVE / CUSHIONING WRAP AND SECURE WITH TAPE.

C. CLOSURE OF THE CONTAINER SHALL BE IN ACCORDANCE WITH METHOD 2B3 OF ASTM D1974 USING TAPE.

D. PACKING:  
 LEVEL A: PACKING SHALL BE ACCOMPLISHED USING EITHER CLEATED-PLYWOOD BOXES, OVERSEAS TYPE, CONFORMING TO PPP-B-601 OR NAILED WOOD BOXES CONFORMING TO PPP-B-621, CLASS 2.

LEVEL B: PACKING SHALL BE ACCOMPLISHED USING; FIBERBOARD BOXES, WEATHER-RESISTANT CLASS, CONFORMING TO ASTM D 5118 OR TRIPLEWALL, CORRUGATED FIBERBOARD BOXES, CONFORMING TO ASTM D5168 OR PALLET BASE CONTAINERS, TYPE III, CONFORMING TO MIL-B-43666. **CLOSURE, SEALING, AND REINFORCEMENT SHALL BE IAW SPECIFIC, APPLICABLE METHODS OF ASTM D1974, OR AS REFERENCED IN THE CONTAINER SPECIFICATION.**


GUIDANCE FOR PALLETIZED UNIT LOADS FOR MILITARY / GOVERNMENT SHIPPERS IS SHOWN IN MIL-HDBK-774.

**SPECIAL PACKAGING INSTRUCTION** (Continuation Sheet)Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12389712 (19207) BOX ASSEMBLY, ACCESSORY	2. CAGE 19207	3. SPI NO.
4. NATIONAL STOCK NO.	5. DATE March 26, 2004	6. REVISION

1. SECURE CELLS WITH CID A-A-1685 TAPE.
2. INTIMATE WRAP OMITTED FOR CLARITY.



<b>ITEM</b>	<b>DIMENSION</b>
<b>C</b>	<b>4 x 13</b>



**MATERIAL: ASTM D4727, TYPE CF GRADE 1100,  
CLASS DOM, VARIETY TW**

**SPECIAL PACKAGING INSTRUCTION** (Continuation Sheet)

Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 30 days per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THIS ADDRESS.**

1. PART OR DRAWING NO. (CAGE) NOMENCLATURE 12389712 (19207) BOX ASSEMBLY, ACCESSORY	2. CAGE 19207	3. SPI NO.
4. NATIONAL STOCK NO.	5. DATE March 26, 2004	6. REVISION



**ITEM A AND B MATERIAL: ASTM D4727, TYPE CF,  
GRADE 200, CLASS DOM,  
VARIETY SW.**